

March 6, 2009

10/590,568

1

=> fil reg

FILE 'REGISTRY' ENTERED AT 13:22:15 ON 06 MAR 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 4 MAR 2009 HIGHEST RN 1115640-24-8

DICTIONARY FILE UPDATES: 4 MAR 2009 HIGHEST RN 1115640-24-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=> d que stat 112

L3 STR



VAR G1=C/N

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:


RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L5 255 SEA FILE=REGISTRY SSS FUL L3

L10 STR



VAR G1=CH2/25/27/30/N

VAR G2=O/S/N/C

NODE ATTRIBUTES:

NSPEC IS RC AT 26

NSPEC IS RC AT 28

NSPEC IS RC AT 29

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 31

STEREO ATTRIBUTES: NONE

L12 2 SEA FILE=REGISTRY SUB=L5 SSS FUL L10

100.0% PROCESSED 255 ITERATIONS

2 ANSWERS

SEARCH TIME: 00.00.01

=> d his

(FILE 'HOME' ENTERED AT 13:00:47 ON 06 MAR 2009)

FILE 'HCAPLUS' ENTERED AT 13:01:05 ON 06 MAR 2009

E US20070194692/PN

L1 1 S E3
SEL RN

FILE 'REGISTRY' ENTERED AT 13:01:28 ON 06 MAR 2009

L2 5 S E1-5

FILE 'LREGISTRY' ENTERED AT 13:04:26 ON 06 MAR 2009

L3 STR

FILE 'REGISTRY' ENTERED AT 13:07:03 ON 06 MAR 2009

L4 7 S L3
L5 255 S L3 FUL
L6 2 S L2 AND L5
SAV L5 GAR568/A

FILE 'HCAPLUS' ENTERED AT 13:10:15 ON 06 MAR 2009

L7 2 S L6

FILE 'LREGISTRY' ENTERED AT 13:12:06 ON 06 MAR 2009
L8 STR L3

FILE 'REGISTRY' ENTERED AT 13:16:38 ON 06 MAR 2009
L9 7 S L8 SSS SAM SUB=L5
L10 STR L8
L11 0 S L10 SSS SAM SUB=L5
L12 2 S L10 SSS FUL SUB=L5
L13 2 S L6 OR L12

=> fil hcap

FILE 'HCAPLUS' ENTERED AT 13:22:22 ON 06 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Mar 2009 VOL 150 ISS 11
FILE LAST UPDATED: 5 Mar 2009 (20090305/ED)

HCAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:


<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d ibib abs hitstr hitind 17 1-2

L7 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2006:542440 HCAPLUS Full-text
DOCUMENT NUMBER: 145:37007
TITLE: Light emitting element and light emitting device
having the light emitting element
INVENTOR(S): Nomura, Ryoji; Nakashima, Harue; Shitagaki,
Satoko; Ikeda, Hisao
PATENT ASSIGNEE(S): Semiconductor Energy Laboratory Co., Ltd.,
Japan; Sakata, Junichiro; Seo, Satoshi; Kumaki,
Daisuke
SOURCE: PCT Int. Appl., 75 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
-----	---	-----	-----		
WO 2006059734	A1	20060608	WO 2005-JP22224	20051128	
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW					
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM					
CN 101065462	A	20071031	CN 2005-80040864	20051128	
JP 2006186335	A	20060713	JP 2005-343337	20051129	
US 20070194692	A1	20070823	US 2006-590568	20060822	current application
KR 2007086658	A	20070827	KR 2007-714513	20070626	
PRIORITY APPLN. INFO.:			JP 2004-347688	A	
				20041130	
			WO 2005-JP22224	W	
				20051128	
OTHER SOURCE(S):	MARPAT 145:37007				
GI					



AB The object is to provide a light emitting element that has a different structure from that of a conventional light emitting element and includes a substance having a novel structure. It is also an object to provide a light


emitting device having the light emitting element. In the view of the objects described above, the present invention provides a light emitting element including a layer containing a triazine derivative I [R1-12 = H, C1-6 alkyl, alkyloxy, halo, C6-30 acyl, C1-6 alkoxy-carbonyl, C6-30, preferably C6-14 aryl, C2-18, preferably C2-14 heteroarom. having monocyclic 5- or 6-membered ring, polycyclic with one 5- or 6-membered ring or both, and adjacent groups may form a ring] and a metal oxide that is an inorg. compound, provided between a pair of electrodes. Further, the present invention provides a light emitting device that has the light emitting element.

IT 866475-31-2P 866475-32-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(light emitting element and light emitting)


RN 866475-31-2 HCAPLUS

CN 9(10H)-Acridinone, 10,10',10''-(1,3,5-triazine-2,4,6-triyl)tris-
(9CI) (CA INDEX NAME)



RN 866475-32-3 HCAPLUS

CN Phenazine, 5,5',5''-(1,3,5-triazine-2,4,6-triyl)tris[5,10-dihydro-10-phenyl- (9CI) (CA INDEX NAME)



CC 73-11 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)

Section cross-reference(s): 74, 76

IT 866475-31-2P 866475-32-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(light emitting element and light emitting)

March 6, 2009

10/590,568


6

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2005:1103132 HCAPLUS Full-text
 DOCUMENT NUMBER: 143:367332
 TITLE: Preparation of triazine derivatives for use in light emitting elements and light emitting devices
 INVENTOR(S): Nomura, Ryoji; Nakashima, Harue; Shitagaki, Satoko
 PATENT ASSIGNEE(S): Semiconductor Energy Laboratory Co., Ltd., Japan
 SOURCE: U.S. Pat. Appl. Publ., 36 pp.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO. -----	KIND ----	DATE -----	APPLICATION NO. -----	DATE
US 20050225236	A1	20051013	US 2005-87717	20050324
US 7015324	B2	20060321		
JP 2005306862	A	20051104	JP 2005-81275	20050322
PRIORITY APPLN. INFO.:			JP 2004-90696	A 20040325

OTHER SOURCE(S): CASREACT 143:367332; MARPAT 143:367332
 GI



AB Triazine derivs., such as I [R = heterocyclyl with a monocyclic structure of a five- or six-membered ring, or a polycyclic structure including any one or both of a five-membered ring and six-membered ring, and includes any atom of nitrogen, oxygen, and sulfur], were prepared for use as a material that can be used for manufacturing a light-emitting element. The light-emitting elements have application in laptop personal computers, cellular phones, televisions,

car navigation systems and lighting. The above-described electronic equipment uses a light-emitting element with a triazine derivative as a component of a pixel portion to provide favorable display images, and the electronic devices to which the present invention is applied can be driven with lower power consumption. Thus, triazine derivative II was prepared in 77% yield by refluxing acridone and cyanuric chloride in THF using NaH.


IT 866475-31-2P 866475-32-3P

RL: DEV (Device component use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(preparation of triazine derivs. for use in light emitting elements and light emitting devices)


RN 866475-31-2 HCAPLUS

CN 9(10H)-Acridinone, 10,10',10''-(1,3,5-triazine-2,4,6-triyl)tris-(9CI) (CA INDEX NAME)



RN 866475-32-3 HCAPLUS

CN Phenazine, 5,5',5''-(1,3,5-triazine-2,4,6-triyl)tris[5,10-dihydro-10-phenyl- (9CI) (CA INDEX NAME)



IC ICM C07D043-14

ICS H01J001-62; H01J063-04

INCL 313504000; 544198000

CC 28-19 (Heterocyclic Compounds (More Than One Hetero Atom))

Section cross-reference(s): 76

IT 866475-31-2P 866475-32-3P

RL: DEV (Device component use); SPN (Synthetic preparation); PREP

March 6, 2009

10/590,568

8

(Preparation); USES (Uses)

(preparation of triazine derivs. for use in light emitting elements
and light emitting devices)

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR
THIS RECORD. ALL CITATIONS AVAILABLE IN
THE RE FORMAT

=>